

| Model Specification Name | | MTW110 | MTW138 | MTW175 | MTW215 | | | |
|-----------------------------|---------------|---------------------------------|---------------------------------|---------------------------------|----------------------------|-----------|--------|----------|
| Quantity of roller (PCS) | | 4 | 4 | 5 | 5 | | | |
| Inner diameter of ring (mm) | | Φ1100 | Φ1380 | Φ1750 | Φ2150 | | | |
| Main shaft speed (rpm) | | 980 | 990 | 740 | 740 | | | |
| Max. Feeding size(mm) | | 30 | 35 | 40 | 50 | | | |
| Output fineness(mm) | | 1.6~0.045 The fineness is 0.038 | 1.6~0.045 The fineness is 0.038 | 1.6~0.045 The fineness is 0.038 | 1.6~0.075 | | | |
| Capacity(tph) | | 3.5~10 | 6.5~15 | 11~22 | 30-45 | | | |
| Dimension(L×W×H)(mm) | | 8425×5041×8642 | 11050×10010×10010 | 12850×10080×9980 | 14730×10860×10341 | | | |
| Weight(t) | | 18 | 28.5 | 38 | 92 | | | |
| Model | Main mill(KW) | Classifier (KW) | Blower(KW) | Bucket elevator(KW) | Jaw crusher hammer crusher | | Feeder | |
| | | | | | Model | Power(KW) | Model | Power(W) |
| MTW110 | 55 | 7.5 | 55 | 3 | PE250×400 | 15 | GZ2F | 0.15 |
| MTW138 | 90 | 22 | 110 | 4 | PE250×400 | 15 | GZ3F | 0.2 |
| MTW175 | 160 | 37 | 200 | 4 | PE250×750 | 22 | GZ4F | 0.45 |
| MTW215 | 280 | 90 | 315 | 11 | PC1010 | 110 | GZ5F | 0.65 |